

Property Information		Request Information	Update Information
File#:	BF-X01611-1063448270	Requested Date: 04/08/2024	Update Requested:
Owner:	PETER SCHUMACHER	Branch:	Requested By:
Address 1:	11 ELM ST	Date Completed:	Update Completed:
Address 2:		# of Jurisdiction(s):	
City, State Zip	: SEYMOUR, CT	# of Parcel(s):	

Notes

CODE VIOLATIONS Per Town of Seymour Department of Zoning there are no Code Violation cases on this property.

Collector: Town of Seymour Department of Zoning

Payable: 1 1st St, Seymour, CT 06483

Business# 203-888-3545

PERMITS Per Town of Seymour Building Department there are no Open/Pending/ Expired Permit on this property.

Collector: Town of Seymour Building Department

Payable: 1 1st St, Seymour, CT 06483

Business# 203-888-3545

SPECIAL ASSESSMENTS Per Town of Seymour Tax Collector there are no Special Assessments/liens on the property.

Collector: Town of Seymour Tax Collector Payable: 1 1st St, Seymour, CT 06483

Business# 203-888-0517

UNABLE TO PROVIDE DOCUMENTATION TO THIRD PARTIES. VERBAL INFO ACQUIRED

DEMOLITION NO



UTILITIES WATER

Account #: NA Payment Status: NA Status: Pvt & Lienable

Amount: NA Good Thru: NA Account Active: NA

Collector: Aquarion Water Company

Payable Address: 200 Monroe Turnpike Monroe, CT 06468

Business # 203-445-7310

UNABLE TO PROVIDE INFO TO THIRD PARTIES. HOMEOWNER AUTHORIZATION NEEDED

SEWER

Account #: 1011011 Payment Status: Paid Status: Pvt & Lienable Amount: \$0.00 Good Thru: NA Account Active: YES Collector: WPCA

Payable Address: 723 Derby Ave, Seymour, CT 06483

Business # 203-735-0288

UNABLE TO PROVIDE DOCUMENTATION TO THIRD PARTIES. VERBAL INFO ACQUIRED

GARBAGE:

Garbage bills are included in the real estate property taxes.

823- R

CRS # 252222 138
TEL # 1070 70 BUILDING DEPARTMENT
PRAVITY 9405 Field Inspection Proport

Date 5-13-2003 Violation Ancel, Rahicuera. Location of Property 11 ELM ST. Disapproved Approved

-14.7003 Inspector Jahrs R. While Building Department File Canany - Contractor Molice

Heating contractor, Permit No. Electrical, Permit No. I hereby agree to conform to all the requirements of the Laws of the State of Connecticut and the Ordinances of the Town of Seymour, and to notify the Building Inspector of any alteration in the plans or specifications of the Building for which this permit is asked. And agree that this building is to be located the proper distance from all street lines, side yard lines and required distances from all other zones and is located in a zone is which this building and its use is allowed. hereby apply for a Certificate of Occupancy for	Parameter Para
	How many? Where does tile start? Oil burners, Permit No.
How many? Where does tile start?	2nd 3rd If not wood joist const. what type of fi
2nd 3rd If not wood joist const. what type of fi Size of Roof Rafters Longest span How many? Where does tile start? Fixtures, Permit	on walls are supported on steel give sizes: 1st.
on walls are supported on steel give sizes: 1st	walls, if any Dist. apart No. of rows Size of same—1st 2nd
walls, if any Size of same—1st Size of pier foundation front, rear, side or partition walls are supported on steel give sizes: 1st 2nd 3nd 2nd 3rd Rafters R. Fl. Fin Fin joists, size: 1st 2nd 3rd 3rd 3rd stories. Dist. on stands carrying partitions Size of Roof Rafters Longest span 1st 2nd 3rd 1st 2nd 3rd 2nd 3rd 2nd 3rd 2nd 3rd 2nd 3rd 2nd 3rd 3rd 2nd 3rd 3rd 3rd 3rd 3rd 3rd 3rd 3rd 3rd 3r	Outside studs Dist. centers Size sill Size hips and valleys No. of stairways
outside studs. Dist. centers. Size sill. Ledges and plate. Size hips and valleys. No. of rows. Size sill. Ledges and plate. Dist. apart. Size of same—1st. 2nd Size of pier foundation stront, rear, side or partition walls are supported on steel give sizes: 1st. 2nd Studs. Rafters. R. Fl. Fin Fin of studs carrying partitions. Size of Roof Rafters. Longest span. How many? Where does tile start? Fixtures, Permit ho. Oil burners, Permit No. Fixtures, Permit hor portions. Permit permit no. Fixtures, Permit hor partitions. Dist. Oil burners, Permit No. Fixtures, Permit hor many? Fixtures, Permit hor Fixtures, Permit hor Fixtures, Permit hor Fixtures, Permit hor finds. Fixtures, Permit hor finds. Fixtures, Permit finds. Fixtures, Permit finds. Fixtures, Permit finds. Fixtures, Permit finds. Fixtures fixtures fixtures fixtures fixtures fixtures fixtures fixtures fixtures fix	low grade Above grade Mat. footing
d. depth below grade	W , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S , S.
from lot line E. 14	, .
from lot line E. W. W. Sewer Septic Tank It of stories—cellar 1st 2nd 3rd 4th 4th 4th Sor footing—cellar 1st 2nd 3rd 4th 6nd footing—size cellar 1st 2nd 3rd 4th 1st 2nd 3rd 4th 6nd footing—size sill 2nd 5nd 5nd 5nd 5nd 5nd 5nd 5nd 5nd 5nd 5	
from lot line E, W, S, M, Dist. nearest bldg It of stories—cellar, W, S, Mat. footing	building is STOAD ROOM and apply rectainteed to 251400
pose of building is SYCA to COCK AND APPUL (ACTO AT AS 1400 pose of building is SYCA to COCK) Name Paragraph Sever Sepic Tank Sever Sepic Tank Sever Sepic Tank Size of pier footing Stable	No. of rooms: 1st 2nd No. Street
from lot line E. Sever Sever Sepic Tank Dist. from Street Line Street Line of Lot of stories of Line Street Line of Lot of stories of Line Street Line of Lot of Stories of Line Street Line Sepic Tank Dist. rearest bldg from State Line E. Sever Sepic Tank Line of Stories cellar list Above grade Ast for sidewalls Size footing Size footing Size footing Size footing Size footing Size hips and valleys Mat. for sidewalls Ledges and girts of plate Size hips and valleys No. of rows Size of pier foundation. Size of lamber—Floor joists. 2nd Street Size of same—1st R. Fl. Fl. Fl. Fl. Fl. joists, size: 1st 2nd 3rd If not wood joist const. what type of floor? est span of floor joists: 1st 2nd 3rd If not wood joist const. what type of floor? est span of floor joist: 1st 2nd 3rd If not wood joist const. what type of floor? est span of floor grade: How many. Size of Roof Rafters Longest span on center. hong contractor, Permit No Oil burners, Permit No. Fixtures, Permit No.	No. ft. deep overall
Sewer Septic Tank No. ft. floor overall No. ft. deep overall No. ft. floor overall No. ft. floor overall No. ft. floor overall No. of rooms: 1st 2nd 3rd 2nd 3rd 2nd 2	Siding Inc. Address Tokker. South Main Address
The control of the B. Sever Sever September Se	BUILDING DEPARTMENT, TOWN OF SEYMOUR, CONNECTICUT rsigned, hereby applies for a permit to do work according to the following specifications: Side of Street
THE BUILDING DEPAKTMENT, TOWN OF SEYMOUR, CONNECTICUT Undersigned, breely applies for a permit to do work according to the following specifications: Undersigned, breely applies for a permit to do work according to the following specifications: Test cross street. Address SATYE AS HEOVE Address SATYE AS HEOVE SATA Address SATY AS HEOVE SATA Address SATA Address SATY AS HEOVE SATA Address SATY AS HEOVER SATA Address SATY AS HEOVER SATA Address SATY AS HEOVER AT A HOW MANY A HOW WHILE AS HE MANY A HOW MANY A HOW WHILE AS HE MANY A HOW WHILE AS HE MANY A HOW WHAT A HOW MANY A HOW HE AS HE MANY A HOW HEND A HOW MANY A HOW HOW AND A HOW HEND A HOW MANY A HOW HOW AND A HOW HOW AND A HOW MANY A HOW HOW A HOW AND A HOW MANY A HOW HOW A HOW HOW A HOW HOW A HOW HOW A H	OCK # 38590 Fee 3 300. REC # B02488 Occupancy Fee 5
Dist. Dist	Perm 17 # 199543 Estimated Cost 8 4 300
The BILLIDING DEPARTMENT, TOWN OF SEYMOUR, CONNECTICUT The Part Part	

Est. Cost \$ 3000.00 APPLICATION FOR ELECTRICAL PERMIT \sim RECEIPT \sim Rec#m -0 3552 Fee C.R.S # 252222 TOWN OF SEYMOUR, CONNECTICUT 3003 9405 Jate Issued 5-7ermit umber_

Application is hereby made for a Permit to make Electrical Installation according to the following detailed statement of the

pecifications and p	pecifications and plans herewith submitted. All provisions of the Electrical CODE shall be complied with.	All provisions of the Electr	ical CODE shall be	complied with.
OCATION //	72 MJ	OWNE	OWNER FETER	SCHUMMCHER
Sommercial	Industrial	Residence		
lew Building □	Old Building	Alterations	Additional	Repairs 🗌
lize of Service 200 A	A Size of Wire	Size of Conduit	Single Phase 2	Three Ph.
				Number of Wires
				Number of Meters
leating - Oil Burner □	Gas Burner □	Electric Heat	Elec. Water Heater 🗆	☐ Oil Fired Water Heater ☐
lo. of Circuits Appliance	ce Air Conditioner 🗆	☐ Washer Dish ☐	Water Pump	Washer Auto □ Dryer □
)ther Electrical Installations	ttions		 	Total No. of Outlets
lemarks or other information	TASTACO	2014-53WIED	1	Total Cost \$ 3,000 0
Holations Revited	ろうなかでして	D Chair Hook	000	2
Contractor ANGCE	Contractor Aug Color Rivers Color Address 208	」レアノジムン	Sd City Ber	City Bot (to 6606 Lic. # 104 070
igned:	Resigned Teleph	Telephone No.	1 1	Type E
1		Approved Inspector	ctor for law	mylos
,			7	
ς,	€	TOWN OF SEYMOUR	EYMOUR	M 03552
DATE:	- 7-3003			
RECEIVED FROM:	ROM: Aucel	Rodricus	7	
RECEIVED B	RECEIVED BY: $\mathcal{I}^{i}\mathcal{M}^{i}\mathcal{M}^{i}$			
OFFICE OF (OFFICE OF COMPLIANCE:			
Building Permit	Permit	 	()	
Electrial Permit Heat, AC, Tank p Plumbing Permit	Electrial Permit Heat, AC, Tank permit Plumbing Permit	# 4405	8 4 3. 00 8	
Other		#	₩ ₩	
# 77.00	277			
Cash				

STATE OF CONNECTICUT DEPARTMENT OF CONSTRUENT OF

ELECTRICAL UNLIMITED CONTRACTOR
ANGEL RODRIGUEZ
208 INFIELD ST
BRIDGEPORT, CT 06606
TYPE. E1

EXPIRES 09/30/2003 LICAREG NO. 1040797

TOWN OF SEYMOUR BUILDING DEPARTMENT Field Inspection Report

6-27-2001 5/ Date Elm ZH Lewski. Disapproved Location of Property Contractor -Approved Owner

White Building Department File Oeffary Contractor Notice

Date 6-27-2001 Inspector

Suilding	- APPLICA	TION FO	Date DATION FOR RIIII DING	BERMIT
icating Slectric Fixtures.		20c# 8-0,	957 Esti	73 .
ing. Dept. ealth Dept. pproved	No. 0	Ž4	2356 Add	Occupancy Fee \$
E BUILDING DEP dersigned, hereby ap	AENT, TOWN OF or a permit to do wo	TOWN OF SEYMOUR, C	CONN. to the following	
To. II KLM ST	1	Lot No		Side of StreetZone
wner of building R 1 Shum	cheg.	Address) / %/	din st.
uilder ODO CE	, , , , , , , , , , , , , , , , , , ,	Address	ess C	אומו אי
ize Main Bldg.: No. ft. front overall		No. ft. deep overall		Area
ize of wings Gar	Garages	No. of families	;	No. of stories
uc	No. of rooms: 1st	: :	2nd 3r Dist from Side Line Street	3rd Line Street
urpose of building is		(
	10×12. 1 0s per	Jed a	anna t Alamas	&L.
	Sewer	Septic Tank		
t. from lot line E	Ø	Z	. Dist. n	Dist. nearest bldg.
ellar	1st 2nd	31.d	4th	5th
selow grade	Above grade	Mat. footing		Size footing
found.	Found, thickness	Mat.	walls	
nO	Dist. centers	Size sill		Ledges and girts
of prace		No. of stairways	Ways	Beams
ck walls, if any	Size of same—1st	ows —18t	Size of pier foundation 2nd 3rd	Ioundation 3rd
ny front, rear, side or partition walls are supported on steel give sizes: 1st.	alls are supported or	n steel give size	28: 18t	2nd
cies of lumber-Floor joists	Studs	Rafters.	R. FI.	Fin. Fl.
or joists, size: 1st.	2nd 2nd 3rd	3rd If not wood	stories.	3rd story stories Dist. on center.
tuds carrying partitions	Size of Roof Rafters.	Rafters	Longest span	on center
mneys, size of flues	How many?	Where does tile Permit No	. :	Fixtures Permit No
ting contractor, Permit No.	Electrical, Permit No.	ermit No		
I hereby agree to conform to all the restour, and to notify the Building Inspirit is asked. And agree that this building inces from all other zones and is located	equirements of the Lawrector of any alteration g is to be located the pro	rs of the State of or in the plans or oper distance from a building and its	Connecticut and specifications of m all street lines I use is allowed.	the Ordinances of the Town the Building for which t , side yard lincs and requii
hereby apply for a Certificate of Occupancy for	of Occupancy for	***************************************		
	D	described in the sel	S	e application for permit.
		Deusis		* · · · · · · · · · · · · · · · · · · ·

•,•

Å,

1005-52-9 DATE: Construction X P X RECEIVED FROM:

RECEIVED BY: T. M. M

OFFICE OF COMPLIANCE:

Building Permit Electrial Permit Heat, AC, Tank permit Plumbing Permit Other

8830 * * * * *

00 & & & &

> 2356 Check Cash



165 CAPITOL AVE • HARTFORD CT 06:106-1630 Be it known that


ROBERT E ZALENSKI JR 16 UNION ST SHELTON, CT 06484

Is certified by the Department of Consumer Protection as a registered

HOME IMPROVEMENT CONTRACTOR

DBA: R & R CONSTRUCTION Registration Number: 545835 Effective Date: 12/07/2000 Expiration Date: 11/30/2001

Registration Number: 545835
Effective Date: 12/07/2000
Expiration Date: 11/30/2001
James F. Fleming, Commissioner



Building Department 1999 TIDBITS Re:

. GUARDRAILS - 315.3 CABO (1995)

Porches, balcomies, or raised floor surfaces located more than 30 "above the floor or grade shall have guardralls not less than 36" in height. Open sides of stairs with a total rise of more than 30" above floor or grade shall have guardrails not less than 34", 315.4--- Guardrails not to allow passage of an object 4" or more in diameter.

OPEN DECK

Please provide a deck framing plan showing the size of the deck, joist location, girder and footing locations etc. also an elevation view drawing. Girder size: 3 - 2 x 8 span 7 feet 3 - 2 x 10 span 8 feet 3 - 2 x 12 span 9 feet

Use decay re-stant materials.

Built-up girder splices must be over a post.

Footings of minimum 42" below grade 12" diameter.

Posts 4 x 4 maximum height 5 feet - taller use 4 x 6 posts.

Angle brace posts.

Two foot cantilever maximum.

Bolt deck to house minimum two each end and one every 2nd

Rise.

bay staggered.

Nail in all holes of joist hangers.

Use full size hangers for required joists.
Flashing is required under siding and over ledger.

Stair stringers shall have concrete slab or blocks under stair stringers shall have concrete slab or blocks under stair stringers in grade.

Treads minimum 9 * with open riser and 10-1/4" closed riser to include nosing.

Raise minimum 4" maximum 8- 1/4" all must be equal.

Guard rails 36" minimum height.

Pickets maximum 4" between.

Grasping Handrails 2 - 1/4" cross sectional diameter. Maximum of 38"

high. Block or use hangers on the inside of the box at the guardrail post connection.

Date 6/13/07 19....

POOL PERMIT APPLICATION FOR SWIMMING

4	
8	
40	
۶	
_	١

REU# 18-01936


Estimated Cost \$ 3800 F8 .

> Check # 1726 TO THE BUILDING DEPARTMENT, TOWN OF SEYMOUR, CONN.

The undersigned, hereby applies for a permit to do work accordinances shall be complied with in the installation of this work	The undersigned, hereby applies for a permit to do work according to the following specifications. All provisions of the Building Ordinances shall be complied with in the installation of this work whether specified herein or not.
Location 11 E1M Street Zone K-18	Lot No Side of Street
Owner Peter + Cythia Schustnacher	Owner Peter + Gythia Schwingelper Address 11 Elia Street
Pool Contractor	Address
Electrical Contractor	Electrical Contractor Address
Make of Pool COLINATION Model Abov & GROUND Size 24' Rd X 52"	ABOVE GROUND Size 24'Rd X 52"
Type of Construction Actions & Construction Actions (217) Maximum Depth	Capacity (Gallons) (2,175 Maximum Depth 4
Type of Deck	No. of Laddersl Diving Board Yes No . X
Voltage Does pool have; Submerged lighting fixtures.	s. (See other side of card)

Specify Distances to at Least Two Corners of Building and Filter. Indicate Location of Pool, Filter and Accessories -

0



Sideyaid

(Fence must be installed around pool.) All electrical wiring to be done by a licensed electrical contractor. Do not back fill pool or install deck until electrical installation and grounding has been inspected.

TOWN OF SEYMOUR

Name of Applicanter & Cynthia Schumann PBB. 4112

DESCRIPTION OF WORK

0

PLOT PLAN AND SLIRVIEY

1. Attach plot plan prepared from available data showing all proposed substantial improvements at a scale of not more than 60 ft to one inch.

2. As Built A-2 Survey

Not Required

Required before Certificate of Occupancy is authorized. Survey to show all substantial improvements. Surveys showing only the building or the foundation will not be accepted.

EROSION CONTROL Not Required

Required- Show on plot plan

APPROVALS


7

Zaning Permit Approved. Building Permit Authorized.

Mathew Backlune. ZEO 6-12-01 Date
Completion Certificate
Based on a review of the As Built survey and/or field inspection, this project is found to be in compliance with the zoning regulations and a certificate of occupancy is authorized.

DATE ZEO

STREET/AVENUE 6-12-01 nec. vol. OWNER OF LAND BELT & CANTAGE Schumache DATE SIDE 11 Clm INTERIOR or CORNER LOT BUILDING PERMIT # ₹ TOCATION N S



Application For Building Permit: Departmental Approvais

SIDEWALK

none Number	e Schownaeher	4114338 ESH90
Applicant's Name, Address & Phone Number	3	Sey Mow CI
-		

2. Property Address of Location
1 Elw Street
Sey Mour (CT. Oud 83

Building Use 'n

Pool

4. Fire Marshal Approval Note: The Fire Marshals Office must have stamped plans submitted for review for any building other than one & two family dwellings thirty (30) days before a permit is expected to be issued.

 a) Based on review of the plans submitted, the project was found to be in compliance with the Connectiont Fire Safety Code

re Marsaai
ie:

Based on review of the plans sucritted, the project was found to be in substantial compliance with the Connecticut Fire Safety Caste and the deficiencies attached will be corrected prior to the project's completion. â

Marshal
ire
Date

al (Signature required for either A or B)
(Signat
5. Inland Wetlands Approval
i

- a) Based on a review of the Inland Wetlands Map, record subdivision plan, site plan or other data, the project does not involve a regulated activity.
 - Project approved by Inland Wetlands Commission on ĝ

Date:Agent for W Solving Approval A. As built A-2 Survey submittee As built A-2 Survey not required	Agent fcr Wetlands			pq.
Survey :	Agent fo		ubmitte	ot requi
Date:			uvey sı	urvey n
Date: Zoning Ap A. As bu As bu		provat	ilt A-2 S	ilt A-2 S
ς, ς	te	ning Ap	As bu	As bu
/, w)	ة (6. Zo	\ \	

ZBA approval not required. Project meets all zoning requirements.

B. Zoning Board of Appeals


Variances approved by ZBA at meeting of

|--|

C. Planning and Zoning Commission

" VICTOR PARADIS (LICENSE DESIGNEE) PARADIS CONSTRUCTION, INC.

ء ا



APPLICATION FOR BUILDING PERMIT	No. 19 86 Fee \$ 10,0 Occupancy Fee \$	THE BUILDING DEPARTMENT, TOWN OF SEYMOUR, CONN. undersigned, hereby applies for a permit to do work according to the following specifications: $[I ELM] \text{ST} \text{Lot No.} ISSide \text{ of Street} \text{Zone} $	ner of building DAUCE BLANCHAR DAddress II ELM ST. Ider HEW DON POULS Address QUY BOSTON POST B Address QUY BOSTON ACLE OF BOSTON Address OUX BOSTON ACLE OF BOSTON Address OUX BOSTON ACLE OF BOSTON ACCES ACCE	No. of rooms: 1st	pose of building is Later Line Street Line Communication Side Line Street Line pose of building is Later Line Street Line Stre
	tric tures. davit. . Dept. lith Dept.	THE BUILDING DEPARTMENT, TOW undersigned, hereby applies for a permit t	ner of building Office Section of building Office Section 1960 Section	Main Bldg.: No. ft. front overall	of Lot. pose of building is Factor L

Septic Tank

Sewer 🛭

st. from lot line E	, W.	S	Z		Dist. near	Dist. nearest bldg.
eight of stories—cellar	1st 2nd	2nd		3rd	4th	4th5th
ound, depth below grade	Above grade	ve grade	Mat.		Size footing	ting
at. for found.	Found. thickness	SS	Mat.	64	<u>s</u>	ì
oof	Outside studs Dist. centers Size sill Ledges and girts	Dist. centers		Size sill	Led	ges and girts
ze of plateSize	Size hips and valleys		No. of s	No. of stairways		Beams
ersDist. apart		No. of rows	WS.	Size	Size of pier foundation.	undation
ick walls, if any	Si	Size of same—1st	-1st	2nd	. Pi	3rd
any front, rear, side or partition walls are supported on steel give sizes: 1st	ition walls are s	upported on	steel give	sizes: 1st		2nd
ecies of lumber—Floor joists.	sts Stu	Studs Rafters	Rafters	æ		Fin. Fi
oor joists, size: 1st	2nd	2nd 3rd	3rd		stories. D	stories. Dist. on center
ngest span of floor joist: 1st		3rd	If not w	ood joist co	nst. what to	2nd 3rd If not wood joist const. what type of floor?
e of studs carrying partitions.		Size of Roof RaftersLongest span	afters	Long	rest span	on center
imneys, size of flues	How mar	How many?	here does	tile start?	•	
unbing contractor, Permit No		Oil burners, Permit No	Permit No		. Fixtures,	Fixtures, Permit No.
ating contractor, Permit No		Electrical, Permit No	rmit No			
I hereby agree to conform to all the requirements of the Laws of the State of Connecticut and the Ordinances of the Tonmour, and to notify the Building Inspector of any alteration in the plans or specifications of the Building for which mit is asked. And agree that this building is to be located the proper distance from all street lines, side yard lines and requances from all other zones and is located in a zone in which this building and its use is allowed.	all the requirement ng Inspector of a s building is to be l is located in a zone	is of the Laws ny alteration i ocated the proj in which this	of the Stat in the plans per distance building an	e of Connecti s or specifica from all str d its use is a	cut and the trions of the eet lines, sic. llowed.	Ordinances of the Tore Building for which he yard lines and req
hereby apply for a Certificate of Occupancy for	ificate of Occup	ancy for				
		epqe	scribed in	described in the above application for permit.	pplication	for permit,
			Signed	***************************************		