

NYC Department of Buildings
OATH/ECB Violation Details

[Click here for more information about Severity, Violation and Hearing Statuses](#)

Premises: 859 EAST 225 STREET BRONX Filed At: 859 EAST 225 STREET , BRONX , NY 10466
 BIN: [2063875](#) Block: 4850 Lot: 11 Community Board: 212

OATH/ECB Violation Summary

VIOLATION OPEN

OATH/ECB Violation Number: 34746212Y

[View Image of Summons/Notice at OATH](#)

Severity: CLASS - 2

Certification Status: NO COMPLIANCE RECORDED

Penalty Balance Due: \$0.00

Hearing Status: WRITTEN OFF

Respondent Information

Name: EZGUA ANTHONY
 Mailing Address: 859 EAST 225 STREET , BX , NY 10466

Violation Details

Violation Date: 10/07/2008 Violation Type: CONSTRUCTION
 Served Date: 12/18/2008 Inspection Unit: HPD

Infraction Codes	Section of Law	Standard Description
203	28-118.3.2	OCC CONTRARY TO THAT ALLOWED BY THE C OF O OR DOB RECORDS

Specific Violation Condition(s) and Remedy:

OCCUPANCY CONTRARY TO THAT ALLOWED BY THE C/O OR BLDG DEPT RECORDS BSMT CONVERTED FROM ORDINARY USE INTO A CLASS A APT W/ FULL KTCN & BTRM THEREBY INCREASING BLDG OCCUPANCY REM: DISCONTINUE ILLEGAL USE OR AMEND

Issuing Inspector ID:

DOB Violation Number: 100708HPD1666

Issued as Aggravated Level: NO

Dept. of Buildings Compliance History and Events

Certification Status: NO COMPLIANCE RECORDED

Compliance On:

A Certificate of Correction must be submitted to the Administrative Enforcement Unit (AEU) for all violations. A violation that is not dismissed by OATH/ECB will continue to remain ACTIVE or "open" on DOB records until acceptable proof is submitted to the AEU, even if you have paid the penalty imposed by OATH/ECB.

OATH/ECB Hearing Information

Hearing Status: WRITTEN OFF

OATH/ECB Penalty Information

Penalty Imposed: \$1,200.00
 Adjustments: \$0.00 Amount Paid: \$1,200.00
 Penalty Balance Due: \$0.00 Court Docket Date: 10/31/2009