

# **Construction Permits**

26 - PRESCOTT AVE - 8.01/24

			17000 - UAC - 100001 - 07	1700-111			
Permit Number	Tracking Number	Work Type	Application Date	Permit Issue Date Application Status	Application Status	Subcodes	Closed
192945 28 INSTALL CHIMNEY LINER	28109 INER	Alteration	9/11/2019	9/11/2019	CA and Close Date Issued	<b>a</b> .	3/18/2022
192944 28 INSTALL CHIMNEY LINER	28114 INER	Alteration	9/11/2019	9/11/2019	CA and Close Date Issued	۵	10/18/2021
142185 RELOCATION OF KIT	85 Alteration 5/20/2014 RELOCATION OF KITCHEN ON 1ST FLOOR OF 2 FAMILY HOUSE AS PER SUBMITTED PLANS	Alteration 2 FAMILY HOUSE AS P	5/20/2014 FR SUBMITTED PLANS	5/20/2014	CO and Close Date Issued	ВРЕ	11/25/2015



8/12/2009 Date Issued Control# 80052 Permit#

e losed

IDENTIFICATION Block: 8.01 Work Site Location: 26 PRESCOTT SERVICE, NJ	Contractor	ualifier
Owner in Fee MOHAMAD YOUBET PALS 26 PRESCOTT AVE CLIFTON NJ 070 Telephone		Irs. Reg. No
Is hereby granted permission to perform the follow	<u> </u>	PAYMENTS (Office Use Only) Building \$0
☐ BUILDING ☐ PLUMBING  ☑ ELECTRICAL ☐ FIRE PROTECTION	☐ LEAD HAZARD AB☐ DEMOLITION	ATEMENT Electrical \$43 Plumbing \$0
ELEVATOR DEVICES ASBESTOS ABATEM (Subchapter 8 only)	ENT OTHER	Fire Protection \$0 Elevator Devices \$0
DESCRIPTION OF WORK: SERVICE		Other \$0.00  DCA Training Fee \$8  CO Fee
Note: If construction does not commence within on construction ceases for a period of six (6) months,		Other\$0
Estimated Cost of Work \$4,500  Construction Official	Date	Cash\$51  Credit\$0  Collected By
U.C.C. F170 equiv (rev 1/04)  1 WHITE - INSPECTOR 2 CANAR	RY - OFFICE 3 PINK -	TAX ASSESSOR 4 GOLD - APPLICANT

## REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
  - Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment

moditation dystems equipment.
Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he producing devices and Barrier Free subcode accessibility, if applicable.
Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
A complete copy of released plans must be kept on the job site.



Date Issued Control # Permit#

95115

Closed

IDENTIFICATION Block: 8.01 Work Site Location: 26 PRESCOTT FENCE, NJ	Lot: <u>24</u>	Contractor		
Owner in Fee MOHAMAD YOUBET PALS 26 PRESCOTT AVE CLIFTON NJ 070	11-	Telephone:		
Telephone:		Federal Employee. No.		
Is hereby granted permission to perform the follow	ng work:		PAYMENTS (Office Use Only)	<b>#</b> 40
☑ BUILDING ☐ PLUMBING	[	LEAD HAZARD ABATEMENT	Building	\$40 \$0
☐ ELECTRICAL ☐ FIRE PROTECTION	[	DEMOLITION	Plumbing	<u>\$0</u>
ELEVATOR DEVICES ASBESTOS ABATEM (Subchapter 8 only)	ENT [	OTHER	Fire Protection	\$0 \$0
DESCRIPTION OF WORK:			Other	\$0.00 \$2
FENCE 4&5FT 50 PERCENT OPEN			DCA Training Fee	
			Other	
Note: If construction does not commence within on			Total	\$42
construction ceases for a period of six (6) months, Estimated Cost of Work \$1,200	ınıs permit i	s voia.	Check No.	
			Cash	i
Construction Official	Date		Credit	I
U.C.C. F170	Date		Collected By	
equiv (rev 1/04)	Y - OFFICE	3 PINK - TAX ASSE	SSOR 4 GOLD - APPLICA	ANT

### REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
  - 4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, in producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
Z	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
✓	A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please call us at (973) 470-5809



Date Issued Control# Permit#

97021

(105ed

		Lot: 24		Qualifier		
Work Site Location: 26 PR	ESCOTT ROOF , NJ		Contractor			
Owner in Fee MOHAMAD 26 PRESCO	YOUBET PALS OTT AVE CLIFTON NJ 070	011-	Address Telephone:	······		
Telephone 4			Lic. No. or Federal Em	Bldrs. Reg. No nployee. No		
Is hereby granted permis	sion to perform the follow	ving work:			PAYMENTS (Office Use Building	• •
<b>☑</b> BUILDING	□ PLUMBING		LEAD HAZARD	ABATEMENT	Electrical	
ELECTRICAL	☐ FIRE PROTECTION		□ DEMOLITION		Plumbing	
ELEVATOR DEVICES	ASBESTOS ABATEM	IENT	OTHER		Fire Protection Elevator Devices	
DESCRIPTION OF WORK	, , , , , , , , , , , , , , , , , , , ,				Other	\$0.00
ROOF					DCA Training Fee	\$7
		<del>.</del>			CO Fee	
					Other	\$0
Note: If construction does				or if	Total	\$82
construction ceases for a Estimated Cost of Work		this perm	it is void.		Check No.	
Laumateu Goat of Work	Ψ0,000				Cash	\$82
					Credit	\$0_
Construction Office	cial	Date			Collected By	
U.C.C. F170 equiv (rev 1/04)		DV 055:5		// <b>T</b> AV AGGTCC	00 4 00:5	
1 WHITE - INSPE	ECTOR 2 CANAL	RY - OFFIC	;E 3 PIN	K - TAX ASSESS 	OR 4 GOLD - A	APPLICAN I

### REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.

	<ol> <li>Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.</li> </ol>
	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, h producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>\</b>	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
$ \checkmark $	A complete copy of released plans must be kept on the job site.
lf v	rou do not understand any of this information, please call us at (973) 470-5809



Date Issued Control # Permit #

12/2/2003 110704 035056

Closed

	k: 8.01 Lot: 1	24			
Work Site Location: 26 PF	RESCOTT GARAGE DEMO , NJ		Contractor		
Owner in Fee MOHAMAI	D YOUBET PALS				
26 PRESC	OTT AVE CLIFTON NJ 07011-		Telephone:		
Telephone:			Federal Employee. No.		
Is hereby granted permis	ssion to perform the following wo	ork:		PAYMENTS (Office Use Only)	
_				Building	\$75
✓ BUILDING	☐ PLUMBING	LEA	D HAZARD ABATEMENT	Electrical	\$0
☐ ELECTRICAL	FIRE PROTECTION	✓ DEN	NOLITION	Plumbing	\$0
	— ASSESTOS ABATEMENT	— □ от⊦	IED	Fire Protection	\$0
ELEVATOR DEVICES	ASBESTOS ABATEMENT (Subchapter 8 only)		IER	Elevator Devices	\$0
DESCRIPTION OF WORK	<b>&lt;</b> :			Other	\$0.00
DEMO GARAGE				DCA Training Fee	\$0
				CO Fee	
	THE STATE OF THE S			Other	\$0
Note: If construction doe	es not commence within one (1) y	ear of date o	f issuance, or if	Total	\$75
construction ceases for a Estimated Cost of Work	a period of six (6) months, this pe	ermit is void.		Check No.	
Laumated Cost of Work	Ψ3,000			Cash	
				Credit	\$0
Construction Off	icial Dat	te	· · · · · · · · · · · · · · · · · · ·	Collected By	
U.C.C. F170					
equiv (rev 1/04)  1 WHITE - INSP	ECTOR 2 CANARY - OF	EICE	3 PINK - TAX ASSES	SOR 4 GOLD - APPLICAN	т
1 AALII IT - IIIOL	ECTOR 2 CANANT - OF	1 IOL	3 FINK - 12X AGGLG	GOR 4 GOLD - AFFLICAN	
	REQU	IRED IN	ISPECTIONS		
Construction work must be	inspected in accordance with the S	State Uniform	Construction Code Regulation	ns N.J.A.C. 5:23-2.18. This agency will	carry
out such periodic inspectio Uniform Construction Code		re necessary	to insure that the work instal	ed conforms with the requirements of the	he
		t matific this age	anau whan wall is ready for	any remained increasing an effect below	
				any required inspections specified belo ections will be performed within three b	
days of the time for which t	they are requested. The work must	not proceed in	n a manner which will preclud	le the inspection until it has been made	and
approval granted.		- 11 112	t-D		
	or all subcodes for one- and two-fan	-			
	ng trenches before placement of foc e requirements of the building subc		that in cases of pile foundati	ons, inspections shall be made in	
<ol><li>Foundations and al</li></ol>	ll walls up to grade level prior to bac	k filling.	,		
plumbing. The fram ventilation and /or a	ning inspection shall take place after	r the rough ele	ectrical and plumbing inspect	panel and service installation; rough ions and after the installation of the hear all other subcode rough inspections are	iting, nd
<ol> <li>Installation of all fin mechanical system</li> </ol>		r joints, plumb	ing piping, trim and fixtures;	electrical wiring, devices and fixtures;	
	pections for all subcodes of construct		r than one- and two-family dv	vellings, are fire suppression systems, l	heat

Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:

A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".

A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please call us at (973) 470-5809



Date Issued 4/30/2001 Control# 123644 Permit # 011839

Clusco

IDENTIFICATION Block: Work Site Location: 26 PRE	8.01 SCOTT FENCE , NJ	Lot: <u>24</u>	Contractor	Qualifier		
Owner in Fee MOHAMAD 26 PRESCO	YOUBET PALS OTT AVE CLIFTON NJ 070 <sup>-</sup>	11-	Address Telephone:			
Is hereby granted permiss	sion to perform the followi	ng work:			PAYMENTS (Office Use Only) Building Electrical	\$40 \$0
ELECTRICAL	FIRE PROTECTION		DEMOLITION		Plumbing	\$0
☐ ELEVATOR DEVICES	ASBESTOS ABATEME (Subchapter 8 only)	ENT	OTHER		Fire Protection Elevator Devices	\$0 \$0
DESCRIPTION OF WORK: FENCE GATE 4FT HEIGH	Τ				Other  DCA Training Fee  CO Fee  Other	
Note: If construction does construction ceases for a Estimated Cost of Work	period of six (6) months, t	e (1) year ( his permi	of date of issuance, t is void.	or if	Total Check No. Cash Credit	\$40 \$40
Construction Office U.C.C. F170 equiv (rev 1/04) 1 WHITE - INSPE		Date Y - OFFICI	E 3 PIN	K - TAX ASSESS	Collected By	

### REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.

	<ol> <li>Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.</li> </ol>
	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, h producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>/</b>	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
	A complete copy of released plans must be kept on the job site.
te.	and the standard and of this information, places call up at (072) 470, 5000

If you do not understand any of this information, please call us at (973) 470-5809



Date Issued Control# Permit#

Closed

REPLACING 2 DOORS IN STAIR TO 2ND FLOOR FOR FRONT ENTRANCE & BACK EXIT  PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320  DCA Training Fee  Other  Total  Check No.	
Owner in Fee SABJAR NAJJAR PO BOX 4157 TAX DEPT FREDERICK NJ 21701-09 Lic. No. or Bldrs. Reg. No. Federal Employee. No.  Is hereby granted permission to perform the following work:    BUILDING	
Lic. No. or Bldrs. Reg. No. Federal Employee. No.    Is hereby granted permission to perform the following work:   Is hereby granted permission to perform the following work:   Is hereby granted permission to perform the following work:   Is hereby granted permission to perform the following work:   Is hereby granted permission to perform the following work:   Is hereby granted permission to perform the following work:   Is hereby granted permission to perform the following work:   Building   Electrical	
Building    BUILDING	
BUILDING PLUMBING LEAD HAZARD ABATEMENT Electrical  ELECTRICAL FIRE PROTECTION DEMOLITION  ELEVATOR DEVICES ASBESTOS ABATEMENT (Subchapter 8 only)  DESCRIPTION OF WORK:  REPLACING 2 DOORS IN STAIR TO 2ND FLOOR FOR FRONT ENTRANCE & BACK EXIT  PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320	<b></b>
ELEVATOR DEVICES ASBESTOS ABATEMENT (Subchapter 8 only)  DESCRIPTION OF WORK:  REPLACING 2 DOORS IN STAIR TO 2ND FLOOR FOR FRONT ENTRANCE & BACK EXIT  PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320	\$40 \$0
DESCRIPTION OF WORK:  REPLACING 2 DOORS IN STAIR TO 2ND FLOOR FOR FRONT ENTRANCE & BACK EXIT  PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320	<u>\$0</u>
DESCRIPTION OF WORK:  REPLACING 2 DOORS IN STAIR TO 2ND FLOOR FOR FRONT ENTRANCE & BACK EXIT  PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if  construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320	\$0
REPLACING 2 DOORS IN STAIR TO 2ND FLOOR FOR FRONT ENTRANCE & BACK EXIT  PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320  DCA Training Fee  Other  Total  Check No.	\$0
PAINTED EXTERIOR WINDOW REPLACE HAND RAIL REPAIR CRACKS ON STEPS & RETAI  NING WALLS  Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320  CO Fee  Other  Total  Check No.	0.00
Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320  Coree  Other  Total  Check No.	\$0
Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320  Other  Total  Check No.	
construction ceases for a period of six (6) months, this permit is void.  Estimated Cost of Work \$320  Check No.	\$0
Estimated Cost of Work \$320	<u>\$40</u>
Cash	<u>\$40</u>
Credit	\$0
Construction Official Date Collected By	
U.C.C. F170 equiv (rev 1/04)  1 WHITE - INSPECTOR 2 CANARY - OFFICE 3 PINK - TAX ASSESSOR 4 GOLD - APPLICANT	_,

# REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, anditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and

		prior to the installation of any interior finish material.
	4.	Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.
		ditional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he ducing devices and Barrier Free subcode accessibility, if applicable.
	Re	quired special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>\( \)</b>	ins <sub>l</sub> equ	nal inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final pections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required upment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, rier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_		omplete copy of released plans must be kept on the job site.
lf y	ou c	lo not understand any of this information, please call us at (973) 470-5809



Date Issued Control# Permit #

7/6/1998 134907 981800

Closed

	c: <u>8.01</u> Lot: <u>2</u>	4	Qualifier		
	ESCOTT AVE REP EXISTING FRO	ONI Contractor			
Owner in Fee SABJAR N. PO BOX 41					
Telephone:	- Models &		Bldrs. Reg. No ployee. No		
Is hereby granted permis	sion to perform the following wor	rk:		PAYMENTS (Office Use Only) Building	\$60
✓ BUILDING	PLUMBING	LEAD HAZARD	ABATEMENT	Electrical	
☐ ELECTRICAL	FIRE PROTECTION	□ DEMOLITION		Plumbing	\$0
☐ ELEVATOR DEVICES	ASBESTOS ABATEMENT (Subchapter 8 only)	OTHER		Fire Protection Elevator Devices	<u>\$0</u> \$0
DESCRIPTION OF WORK:				Other	\$0.00
REPLACING EXISTING FRONT STEPS BRICK & LIMESTONE CONCRETE FOOTING SAME				DCA Training Fee	\$3_
SIZE				CO Fee	
	1.7.1944 17.00			Other	\$0
Note: If construction does not commence within one (1) year of date of issuance, or if construction ceases for a period of six (6) months, this permit is void.				Total	\$63
				Check No.	
Estimated Cost of Work	_\$4,000			Cash	\$63
				Credit	\$0
Construction Offi	cial Date	<del></del> _		Collected By	
U.C.C. F170 equiv (rev 1/04)			l		
1 WHITE - INSPI	ECTOR 2 CANARY - OF	FICE 3 PINI	K - TAX ASSESS	OR 4 GOLD - APPLICA	۸NT

# REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and

Required inspections for all subcodes for one- and two-family dwellings are as follows:

- 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- 2. Foundations and all walls up to grade level prior to back filling.
- 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough ing,

		plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heat ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections an prior to the installation of any interior finish material.
	4.	Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.
		ditional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he ducing devices and Barrier Free subcode accessibility, if applicable.
	Re	quired special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>✓</b>	ins <sub> </sub>	nal inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final pections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required ripment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, rier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_		omplete copy of released plans must be kept on the job site. o not understand any of this information, please call us at (973) 470-5809