

Date Issued Control# 35168 Permit # 180998 CIOSCO

	: 71.01 Lot:	12	Qualifier		
Work Site Location: 54 PA	IRICIA PL , NJ				
Owner in Fee MINACKO	IA PL CLIFTON NJ 07012-			· more	
Telephone:	A FE CEIFTON NO 07012-				
Is hereby granted permis	sion to perform the following w	ork:		PAYMENTS (Office Use C	• •
	- DILIMBINO	- L-AF	2 1 1 4 7 4 DD A D A TELACLIT	Building	
BUILDING	✓ PLUMBING	L LEAL	O HAZARD ABATEMENT	Electrical	
☐ ELECTRICAL	☐ FIRE PROTECTION	☐ DEM	OLITION	Plumbing	
☐ ELEVATOR DEVICES	☐ ASBESTOS ABATEMENT	П отн	FR	Fire Protection	\$0
	(Subchapter 8 only)		LI.	Elevator Devices	\$0
DESCRIPTION OF WORK				Other	\$0.00
HOT WATER HEATER				DCA Training Fee	\$3
				CO Fee	
				Other	\$0
	s not commence within one (1)		issuance, or if	Total	\$63
construction ceases for a Estimated Cost of Work	period of six (6) months, this p \$1,500	ermit is void.		Check No.	
Latinated Oost Of Work	<u> </u>			Cash	
				Credit	
Construction Office	cial Da	ate		Collected By	
U.C.C. F170 equiv (rev 1/04)					
1 WHITE - INSPE	ECTOR 2 CANARY - O	FFICE	3 PINK - TAX ASSES	SOR 4 GOLD - AF	PLICANT
	REQU	JIRED IN	SPECTIONS		

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

Required inspections for all subcodes for one- and two-family dwellings are as follows:

- 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- 2. Foundations and all walls up to grade level prior to back filling.
- All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough ing,

	O.	plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heat ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
	4.	Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.
		ditional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he ducing devices and Barrier Free subcode accessibility, if applicable.
	Red	quired special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
✓	ins; equ	nal inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final pections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required lipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, rier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_		omplete copy of released plans must be kept on the job site. o not understand any of this information, please call us at (973) 470-5809



Date Issued Control# Permit#

145776

IDENTIFICATION Block: 71.		Qualifier	
Work Site Location: 54 PATRIC	IA PL(REROOFING), NJ	Contractor	
Owner in Fee ZIEMBA STANLI	EY WF		
54 PATRICIA PL	CLIFTON NJ 07012	Telephone:	
Telephone:		Federal Employee. No.	
Is hereby granted permission	to norform the following worl	···	PAYMENTS (Office Use Only)
is hereby granted permission	to periorin the following work	\ .	Building\$40
☑ BUILDING	PLUMBING	LEAD HAZARD ABATEMENT	Electrical \$0
ELECTRICAL	FIRE PROTECTION	☐ DEMOLITION	Plumbing\$0
☐ ELEVATOR DEVICES ☐	ASBESTOS ABATEMENT	☐ OTHER	Fire Protection \$0
	(Subchapter 8 only)	_ oniek	Elevator Devices\$0
DESCRIPTION OF WORK:			Other\$0.00
REROOFING.			DCA Training Fee \$2
			CO Fee
			Other\$15
Note: If construction does not	commence within one (1) year	ar of date of issuance, or if	Total\$57
construction ceases for a periodic Estimated Cost of Work \$2,0		mit is void.	Check No.
LStillated Cost of Work <u>\$\phi_1\tilde{\phi}_2\tilde{\phi}\$</u>	00		Cash\$57
			Credit\$0
Construction Official	Date		Collected By
U.C.C. F170 equiv (rev 1/04)			
1 WHITE - INSPECTO	R 2 CANARY - OFF	ICE 3 PINK - TAX ASSESS	SOR 4 GOLD - APPLICANT

REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
 - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
 - 2. Foundations and all walls up to grade level prior to back filling.
 - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating,

		ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
	4.	Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.
		ditional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he ducing devices and Barrier Free subcode accessibility, if applicable.
	Re	quired special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
Z	ins	nal inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final pections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required appropriately lectrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, rier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
$ \mathbf{Z} $	Αc	omplete copy of released plans must be kept on the job site.
lf y	ou d	lo not understand any of this information, please call us at (973) 470-5809



Date Issued Control # Permit#

		.ot: <u>12</u>	Qualifier		
Work Site Location: 54 PA	TRICIA WASHING MACHINE	DB , NJ	Contractor	10 TO THE NAME OF THE OWNER O	
Owner in Fee ZIEMBA ST					
	IA PL CLIFTON NJ 07012-		Telephone: Lic. No. or Bldrs. Reg. No.		
Telephone		·····	Federal Employee. No.		
le haraby granted narmies	sion to perform the following	a work:		PAYMENTS (Office Use O	nly)
is hereby granted permis	aion to benoisi the ionowing	y work.		Building	\$0
BUILDING	✓ PLUMBING	☐ LEA	D HAZARD ABATEMENT	Electrical	\$0
☐ ELECTRICAL	☐ FIRE PROTECTION	☐ DEN	MOLITION	Plumbing	
☐ ELEVATOR DEVICES	☐ ASBESTOS ABATEMEN	ит Пот⊦	IEB	Fire Protection	\$0
L LLLVATOR DEVICES	(Subchapter 8 only)		ILIX	Elevator Devices	\$0
DESCRIPTION OF WORK:				Other	\$0.00
REPLACE WAHING MACI	HINE AND FLOOR DRAIN			DCA Training Fee	\$1
				CO Fee	
	20			Other	\$0
	not commence within one (Total	\$41
Construction ceases for a Estimated Cost of Work	period of six (6) months, thi \$1,000		Check No.		
	<u> </u>			Cash	\$41
				Credit	\$0
Construction Office	cial	Date		Collected By	
U.C.C. F170 equiv (rev 1/04)					
1 WHITE - INSPE	ECTOR 2 CANARY	- OFFICE	3 PINK - TAX ASSES	SOR 4 GOLD-AP	PLICANT
	REG	QUIRED IN	ISPECTIONS		

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and

Required inspections for all subcodes for one- and two-family dwellings are as follows:

- 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- 2. Foundations and all walls up to grade level prior to back filling.
- All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
- Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures;

	medianical systems equipment.
	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, h producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
V	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_	A complete copy of released plans must be kept on the job site. ou do not understand any of this information, please call us at (973) 470-5809



Date Issued 3/3/2003

Control # 115090

Permit # 030667

IDENTIFICATION Block: 71.0					
Work Site Location: 54 PATRICIA	(FURNACE & HWH), NJ		ContractorAddress		
Owner in Fee ZIEMBA STANLEY	/ WF				
54 PATRICIA PL	CLIFTON NJ 07012		Telephone: Lic. No. or Bldrs. Reg. No.		
Telephone			Federal Employee. No.		
Is hereby granted permission to	perform the following work:	:		PAYMENTS (Office Us	e Only)
				Building	\$0
■ BUILDING ✓ P	LUMBING	LL LEA	D HAZARD ABATEMENT	Electrical	\$0
☐ ELECTRICAL	IRE PROTECTION	☐ DEM	OLITION	Plumbing	\$62
☐ ELEVATOR DEVICES ☐ A	SBESTOS ABATEMENT	П отн	ER	Fire Protection	
	(Subchapter 8 only)			Elevator Devices	\$0
DESCRIPTION OF WORK:				Other	\$0.00
*				DCA Training Fee	\$4
				CO Fee	
				Other	\$0
Note: If construction does not c	ommence within one (1) year	r of date of	fissuance, or if	Total	\$106
construction ceases for a period Estimated Cost of Work \$4.12		nit is void.		Check No.	
Estimated Gost of Work 44,12,	<u></u>			Cash	\$106
				Credit	
Construction Official	Date			Collected By	
U.C.C. F170					
equiv (rev 1/04)	O CANADY OFFI	05	O DINIK TAY ACCEO	200 4 0010	ADDI IOANT
1 WHITE - INSPECTOR	2 CANARY - OFFIC	CE	3 PINK - TAX ASSES	SOR 4 GOLD -	APPLICANT
	REQUIR	RED IN	ISPECTIONS		
Construction work must be inspect	ted in accordance with the Stat	te Uniform (Construction Code Regulatio	ns N.I.A.C. 5:23-2 18 This	anency will carry
out such periodic inspections durir Uniform Construction Code.					
The owner or other responsible pe Requests for inspections must be days of the time for which they are approval granted.	made at least 24 hours prior to	the time th	e inspection is desired. Inspe	ections will be performed w	ithin three busines:
Required inspections for all su	bcodes for one- and two-family	/ dwellings	are as follows:		

- 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- 2. Foundations and all walls up to grade level prior to back filling.
- 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
- 4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.

Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, heat producing devices and Barrier Free subcode accessibility, if applicable.

	producing devices and barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
\	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
	A complete copy of released plans must be kept on the job site.

If you do not understand any of this information, please call us at (973) 470-5809