

Date Issued 7/31/2017 Control # C-17-002406 Permit #

equiv (rev 1/04)  1 WHITE - INS	PECTOR 2 CANAF	RY - OFFICE	3 PINK	- TAX ASSESS	SOR 4 GC	DLD - APPLICANT
Construction C U.C.C. F170	Official	Date			Collected By	Christopher Winters
						\$0
					Cash	-
Estimated Cost of World	r a period of six (6) months k _\$18,750		voia.		Check No	637
	oes not commence within o			, or if	Total	\$782
					1	\$200
					CO Fee	
RESIDENTIAL ADDITION	<u>ON</u>				DCA Training Fee_	
DESCRIPTION OF WOR	RK:				Other	\$0.00
	(Subchapter 8 only)				Elevator Devices _	\$0_
☐ ELEVATOR DEVICE	S ASBESTOS ABATEM	JENT □ (	OTHER		Fire Protection	\$7 <u>5</u>
ELECTRICAL	✓ FIRE PROTECTION		DEMOLITION		Plumbing	\$150
☑ BUILDING	✓ PLUMBING	r	EAD HAZARD A	ABATEMENT	Electrical	\$150
, ,		_			Building	\$150
Is hereby granted		wing work:			PAYMENTS (Office	e Use Only)
Telephone:			Federal Em	ployee. No.		
2073	SPRUCE DR BRICK NJ 087	723		<u>(848) 222-929</u> Bldrs. Reg. No.	30 13VH08580400	
	BER, DEBORAH	700				
Work Site Location: 207	SPRUCE DR. Brick Townsh	iip, NJ	Contractor Address		<u>E CONTRACTORS (</u> BIRD CT MARLBOR	
	ck: <u>382.12</u>			Qualitier		

## REQUIRED INSPECTIONS

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material

		Fire to the meaning of the fire the fir
	4.	Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.
		dditional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he oducing devices and Barrier Free subcode accessibility, if applicable.
	] Re	equired special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>-</b>	ins eq	final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final spections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required quipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, arrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
<b>√</b> If	_	complete copy of released plans must be kept on the job site. do not understand any of this information, please ask.



Date Issued <u>7/31/2017</u> Control # C-17-002406 Permit #

	ock: <u>382.12</u> Lot: <u>1</u> SPRUCE DR. Brick Township, NJ	10	Qualifier Contractor AFFORDABL	E CONTRACTORS C	
Owner in Fee WEE 207	BER, DEBORAH SPRUCE DR BRICK NJ 08723		Telephone: (848) 222-929 Lic. No. or Bldrs. Reg. No.		
Telephone:			Federal Employee. No.		
Is hereby granted nerm	nission to perform the following w	vork:		PAYMENTS (Office	e Use Only)
_	_		Building		
✓ BUILDING	✓ PLUMBING	☐ LEA	ND HAZARD ABATEMENT	Electrical	\$150
✓ ELECTRICAL	✓ FIRE PROTECTION	DEN	MOLITION	Plumbing	\$150
☐ FLEVATOR DEVICE	S  ASBESTOS ABATEMENT	□оть	HER	Fire Protection	\$75
	(Subchapter 8 only)			Elevator Devices _	\$0
DESCRIPTION OF WOR	RK:			Other	\$0.00
RESIDENTIAL ADDITION	NC			DCA Training Fee_	\$5
				CO Fee	\$52.00
				Other	\$200
	oes not commence within one (1)			Total	\$782
Estimated Cost of Wor	or a period of six (6) months, this point is \$18.750	permit is voi	id.	Check No.	637
				Cash	\$0
				Credit	\$0
Construction C	Official Dat	te		Collected By	Christopher Winters
U.C.C. F170 equiv (rev 1/04)					
1 WHITE - INS	SPECTOR 2 CANARY - OF	FICE	3 PINK - TAX ASSES	SOR 4 GC	DLD - APPLICANT
	REQU	IRED IN	SPECTIONS		

Construction work must be inspected in accordance with the State Uniform Construction Code Regulations N.J.A.C. 5:23-2.18. This agency will carry out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

- Required inspections for all subcodes for one- and two-family dwellings are as follows:
  - 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
  - 2. Foundations and all walls up to grade level prior to back filling.
  - All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.

	<ol> <li>Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures; mechanical systems equipment.</li> </ol>
	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>V</b>	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_	A complete copy of released plans must be kept on the job site.  you do not understand any of this information, please ask.



Date Issued \_ 7/31/2017 C-17-002406 Control # Permit #

IDENTIFICATION D			40		!! <b>.</b> !		
IDENTIFICATION BI Work Site Location: 201	lock: <u>382.12</u> 7 SPRUCE DR. F	Lot: _ Brick Township, NJ			ualifier AFFORDABLE	CONTRACTORS	OF NJ
		• •				BIRD CT MARLBO	
Owner in Fee WE	BER, DEBORAL	1 3RICK NJ 08723		Tolonhono	(848) 222-929	0	
<u>201</u>	7 SPRUCE DR B	KICK INJ UOT 23		Lic. No. or B	(040) 222-929 Idrs. Rea. No.	13VH08580400	
Telephone:				Federal Emp	oloyee. No		
Is hereby granted per	mission to perfo	orm the following v	vork:			PAYMENTS (Office	ce Use Only)
- · · · · · · · · · · · · · · · · · · ·						Building	<u>\$150</u>
☑ BUILDING	PLUMBI	NG	∐ LE <i>F</i>	AD HAZARD A	BATEMENT	Electrical	\$150
ELECTRICAL	✓ FIRE PF	ROTECTION	DEI	MOLITION		Plumbing	
ELEVATOR DEVIC	FS   ASBEST	TOS ABATEMENT	Поп	HER		Fire Protection	
	(Subcha	apter 8 only)		iei (		Elevator Devices	\$0
DESCRIPTION OF WO	ORK:					Other	\$0.00
RESIDENTIAL ADDIT	ION					DCA Training Fee	\$5
						CO Fee	\$52.00
						Other	\$200
Note: If construction	does not comme	ence within one (1)	year of date	e of issuance,	, or if	Total	\$782
construction ceases to Estimated Cost of Wo		x (6) months, this	permit is vo	id.		Check No.	637
Estimated Cost of WC	JIK <u>Φ10,750</u>						\$0
							\$0
Construction	Official		ite			Collected By	Christopher Winters
U.C.C. F170 equiv (rev 1/04)							
1 WHITE - IN	SPECTOR	2 CANARY - OF	FFICE	3 PINK	- TAX ASSESS	OR 4 GC	OLD - APPLICANT
		REQU	IRED IN	NSPECT	IONS		
Construction work must out such periodic inspec Uniform Construction C	ctions during the p	ccordance with the sprogress of work as a	State Uniform are necessary	Construction (  to insure that	Code Regulation the work installe	s N.J.A.C. 5:23-2.18 d conforms with the	. This agency will carry requirements of the
The owner or other resp Requests for inspection days of the time for which approval granted.	s must be made a	at least 24 hours prio	r to the time t	he inspection i	s desired. Inspe	ctions will be perform	ned within three business
Required inspection	s for all subcodes	for one- and two-far	mily dwellings	are as follows	<b>:</b> :		

- 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- 2. Foundations and all walls up to grade level prior to back filling.
- 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
- 4. Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures;

	mechanical systems equipment.
	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>✓</b>	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_	A complete copy of released plans must be kept on the job site. rou do not understand any of this information, please ask.



Date Issued 7/31/2017 Control# C-17-002406 Permit #

IDENTIFICATION Work Site Location:	Block: <u>382.12</u> 207 SPRUCE DR.	Lot: 10 Brick Township, NJ		Contractor		CONTRACTORS (		
Owner in Fee	WEBER, DEBORAL 207 SPRUCE DR	H BRICK NJ 08723		Address Telephone:	(848) 222-929	BIRD CT MARLBO  0 13\/H08580400		
Telephone:				Federal Emp	oloyee. No	10 11 100000 100		
Is hereby granted	permission to perf	orm the following wor	k:			PAYMENTS (Office	,	
		INIO		D 114 7 4 D D 4	DATEMENT	Building		<u>\$150</u>
✓ BUILDING	✓ PLUMB	ING	LEA	D HAZARD A	BATEMENT	Electrical		\$150
✓ ELECTRICAL	✓ FIRE PI	ROTECTION	☐ DEN	MOLITION		Plumbing		\$150
	VICES   ASBES	TOS ADATEMENT	П отн	JED		Fire Protection		<b>\$75</b>
ELEVATOR DE	(Subch	apter 8 only)		IEK		Elevator Devices		\$0
DESCRIPTION OF	WORK:					Other		\$0.00
RESIDENTIAL AD	DITION					DCA Training Fee		\$5
						CO Fee	9	52.00
						Other		\$200
Note: If constructi	on does not comm	ence within one (1) ye	ar of date	of issuance	or if			\$782
construction ceas	es for a period of s	ix (6) months, this per	rmit is voi	d.		Check No.		637
Estimated Cost of	Work <u>\$18,750</u>							
						Credit		
Construct	tion Official	Date				Collected By		
U.C.C. F170 equiv (rev 1/04)								
	- INSPECTOR	2 CANARY - OFFI	CE	3 PINK	- TAX ASSESS	OR 4 GC	OLD - APPLICAN	<b>1</b> T
		REQUIR						
Construction work m	nust be inspected in a	accordance with the Stat	te Uniform	Construction (	Code Regulation	ıs N.J.A.C. 5:23-2.18	. This agency wil	carry

out such periodic inspections during the progress of work as are necessary to insure that the work installed conforms with the requirements of the Uniform Construction Code.

The owner or other responsible person in charge of work must notify this agency when work is ready for any required inspections specified below. Requests for inspections must be made at least 24 hours prior to the time the inspection is desired. Inspections will be performed within three business days of the time for which they are requested. The work must not proceed in a manner which will preclude the inspection until it has been made and approval granted.

Required inspections for all subcodes for one- and two-family dwellings are as follows:

- 1. The bottom of footing trenches before placement of footings, except that in cases of pile foundations, inspections shall be made in accordance with the requirements of the building subcode.
- 2. Foundations and all walls up to grade level prior to back filling.
- 3. All structural framing, connections, wall and roof sheathing and insulation; electrical rough wiring, panel and service installation; rough plumbing. The framing inspection shall take place after the rough electrical and plumbing inspections and after the installation of the heating, ventilation and /or air conditioning duct system. The insulation inspection shall be performed after all other subcode rough inspections and prior to the installation of any interior finish material.
- Installation of all finished materials, sealings of exterior joints, plumbing piping, trim and fixtures; electrical wiring, devices and fixtures;

	modification of the second of
	Additional required inspections for all subcodes of construction, for other than one- and two-family dwellings, are fire suppression systems, he producing devices and Barrier Free subcode accessibility, if applicable.
	Required special inspections. The applicant by accepting the permit will be deemed to have consented to these requirements:
<b>∠</b>	A final inspection is required for each applicable subcode area before a final Certificate of Occupancy or Approval may be issued. The final inspections include the installation of all interior and exterior finish materials, sealing of exterior joints, mechanical system and other required equipment; electrical wiring, devices and fixtures; plumbing pipes, trim and fixtures; tests required by any provision of the adopted subcodes, Barrier Free accessibility, if applicable; and verification of compliance with NJAC 5:23-3.5, "Posting structures".
_	A complete copy of released plans must be kept on the job site. ou do not understand any of this information, please ask.